





DBR/DBC series



Bushings DBR



Bearings DBC

DBR 2V



.....T.e.c.h.n.i.c.a.l..f.e.a.t.u.r.e.s.....

Double motor brushing, glazing, polishing, buffing machine on pedestal

Suitable to be used by two independent polishers

Single speed, double speed or variable speed polishing machine with inverter

Available on bushings (DBR) or on bearings (DBC)

Pedestal protection hoods with suction point

24V controls

DBR/DBC series

DBR-DBC 1 speed

model	300/2	400/2
Power supply	3P+T 400V - 50Hz	
Motor rating [hp]	3+3	4+4
Motor rating [kW]	2,2+2,2	3+3
Speed [rpm]	3000	
Protection	IP54	
Thermal class	F	

DBR-DBC single speed

DBR-DBC 2 speeds

model	300/24	400/24
Power supply	3P+T 400V - 50Hz	
Motor rating [hp]	2/1,5+2/1,5	3/2+3/2
Motor rating [kW]	1,5+1,1/1,5+1,1	2,2/1,5+2,2/1,5
Speed [rpm]	3000/1500	
Protection	IP54	
Thermal class	F	

DBR-DBC double speed

DBR-DBC multispeed


model	300/2 MV	400/2 MV
Power supply	3P+T 400V - 50Hz	
Motor rating [hp]	3+3	4+4
Motor rating [kW]	2,2+2,2	3+3
Speed [rpm]	600-3600	
Protection	IP54	
Thermal class	F	

DBR-DBC multispeed



DBC MV:

Overall Dimensions



DBR 2V



Products in compliance with the Machine Directive 98/37/CE

Ciclope reserves the possibility of change, without notice, the dimensions and the executions of the products listed in this brochure.

March 1, 2010

Contact information update:

We have begun the long arduous process of moving our office.
Please continue to direct mail to:

Sawyer and Smith Corporation
5412 Homegardner Road
Castalia, Ohio 44824

All phone contact to:
423.289.6894

All other email and website information remains the same. You can contact us at any of the existing web addresses. Email is received remotely and responded to more quickly and efficiently than a phone message. If you call the office, please leave a thorough message INCLUDING your email address so that we can send you the required information as soon as possible.

Thank You.