




Hercules series



Technical features

Polishing machines for single user (mod. 100) and double user (mod. 200)

Big wheels $\varnothing 960 \times 100$ mm

Axle height: 950 mm

Protection guards with suction points

High cutting speed at low rpm

Advantages:
more flexibility of the wheel
reduction of wheel consumption
reduction of abrasive paste consumption

serie Hercules

Technical data

Hercules

model	100	200
Motor rating [kW]	5,5	5,5+5,5
Spindle's speed [rpm]	300-1400	300-1400
Overall dimensions [mm]	1300x1300x1550	2050x1300x1550
Weight [Kg]	600	880

Hercules



High torque

No vibrations

Rugged in construction

User protected from dust

Adjustable wheel guards

Belt transmission

Digital read out

Products in compliance with the Machine Directive 98/37/CE

Ciclope reserves the possibility of change, without notice, the dimensions and the executions of the products listed in this brochure.

March 1, 2010

Contact information update:

We have begun the long arduous process of moving our office.
Please continue to direct mail to:

Sawyer and Smith Corporation
5412 Homegardner Road
Castalia, Ohio 44824

All phone contact to:
423.289.6894

All other email and website information remains the same. You can contact us at any of the existing web addresses. Email is received remotely and responded to more quickly and efficiently than a phone message. If you call the office, please leave a thorough message INCLUDING your email address so that we can send you the required information as soon as possible.

Thank You.